



# VSE™ Electric venting skylight\*

The ultimate venting skylight



Sizes w x h (inches)	101	104	106	108	304	306	308	601	606
<b>Outside frame</b>	21½ x 27½	21½ x 38½	21½ x 46¾	21½ x 55	30⅝ x 38½	30⅝ x 46¾	30⅝ x 55	44¾ x 27½	44¾ x 46¾
<b>Rough opening EDL, EDW, EDM</b>	21½ x 28	21½ x 39	21½ x 46⅞	21½ x 55½	30½ x 39	30½ x 46⅞	30½ x 55½	44¾ x 28	44¾ x 46⅞
<b>Rough opening ECX</b>	21½ x 34½	21½ x 46⅞	21½ x 54½	21½ x 63½	30½ x 46⅞	30½ x 54½	30½ x 63½	44¾ x 34½	44¾ x 54½
<b>Rough opening EMX</b>	21½ x 30¼	21½ x 41¾	21½ x 49¾	21½ x 58½	30½ x 41¾	30½ x 49¾	30½ x 58½	44¾ x 30¼	44¾ x 49¾
<b>Finished framing</b>	20½ x 26¼	20½ x 37⅞	20½ x 45⅞	20½ x 53¾	29⅞ x 37⅞	29⅞ x 45⅞	29⅞ x 53¾	43¾ x 26¼	43¾ x 45⅞

Copper skylights and flashings available - special order, please call for pricing and delay.

## GLASS & CLADDING

### Comfort - Aluminum clad

Tempered, Low-E<sup>2</sup>, argon gasfilled

### ComfortPlus - Aluminum clad

Laminated, Low-E<sup>2</sup>, argon gasfilled

Additional safety and UV protection

	\$	\$	\$	\$	\$	\$	\$	\$	\$
Comfort	–	925	991	1106	1076	1169	1235	–	1391
ComfortPlus	849	959	1031	1150	1121	1216	1287	1237	1446

## FLASHING SYSTEMS

### EDL Step flashing

### ZZZ 165 Additional step flashing kit

### EDW High profile

### EDM Metal roof

### ECX Flat roof curb

### EMX Low slope roof curb

### ZOZ 211 **REQUIRED**

Underlayment (9¾" x 21' roll)

### Combi-Flashing®

EDL Step flashing	89	89	89	109	99	99	99	109	109
ZZZ 165 Additional step flashing kit	18	18	18	18	18	18	18	18	18
EDW High profile	110	116	124	125	127	131	134	144	153
EDM Metal roof	170	181	189	200	194	203	211	206	221
ECX Flat roof curb	288	314	336	356	336	362	384	340	395
EMX Low slope roof curb	271	295	318	338	318	342	363	320	371
ZOZ 211 <b>REQUIRED</b>									
Underlayment (9¾" x 21' roll)	21	21	21	21	21	21	21	21	21
Combi-Flashing®	See page 6 for pricing.								

## BLIND, SHADES AND AWNING

### Cellular shade (translucent white)

#### - FMA Electric

### Venetian blind (eggshell white)

#### - PMA Electric

### LightBlock shade (white)

#### - DMA Electric

### Exterior Heatblock awning (charcoal)

#### - MMA Electric

Cellular shade (translucent white)									
- FMA Electric	379	389	403	410	409	417	425	414	450
Venetian blind (eggshell white)									
- PMA Electric	310	323	336	343	340	347	355	322	378
LightBlock shade (white)									
- DMA Electric	379	389	403	410	409	417	425	414	450
Exterior Heatblock awning (charcoal)									
- MMA Electric	401	414	423	432	443	451	461	466	494

## ADDITIONAL OPTIONS

### WLI 160 Keypad

### WLF 111 Sensor interface

WLI 160 Keypad	159	159	159	159	159	159	159	159	159
WLF 111 Sensor interface	195	195	195	195	195	195	195	195	195

BEST VALUE






# FS®/FSF® Fixed skylights\*

Brighten any area with a healthy dose of natural light

Special orders in red



Sizes  
w x h (inches)



Outside frame  
Rough opening EDL, EDW, EDM  
Rough opening ECX  
Rough opening EMX  
Finished framing

056	101	104	106	108	112	302	304	306	308	601	606
15 <sup>9</sup> / <sub>16</sub> x 46 <sup>3</sup> / <sub>8</sub>	21 <sup>1</sup> / <sub>2</sub> x 27 <sup>1</sup> / <sub>2</sub>	21 <sup>1</sup> / <sub>2</sub> x 38 <sup>1</sup> / <sub>2</sub>	21 <sup>1</sup> / <sub>2</sub> x 46 <sup>3</sup> / <sub>8</sub>	21 <sup>1</sup> / <sub>2</sub> x 55	21 <sup>1</sup> / <sub>2</sub> x 70 <sup>7</sup> / <sub>8</sub>	30 <sup>9</sup> / <sub>8</sub> x 30 <sup>9</sup> / <sub>8</sub>	30 <sup>9</sup> / <sub>8</sub> x 38 <sup>1</sup> / <sub>2</sub>	30 <sup>9</sup> / <sub>8</sub> x 46 <sup>3</sup> / <sub>8</sub>	30 <sup>9</sup> / <sub>8</sub> x 55	44 <sup>3</sup> / <sub>4</sub> x 27 <sup>1</sup> / <sub>2</sub>	44 <sup>3</sup> / <sub>4</sub> x 46 <sup>3</sup> / <sub>8</sub>
14 <sup>1</sup> / <sub>2</sub> x 45 <sup>1</sup> / <sub>16</sub>	21 <sup>1</sup> / <sub>2</sub> x 28	21 <sup>1</sup> / <sub>2</sub> x 39	21 <sup>1</sup> / <sub>2</sub> x 46 <sup>7</sup> / <sub>8</sub>	21 <sup>1</sup> / <sub>2</sub> x 55 <sup>1</sup> / <sub>2</sub>	21 <sup>1</sup> / <sub>2</sub> x 71 <sup>3</sup> / <sub>8</sub>	30 <sup>1</sup> / <sub>2</sub> x 31 <sup>1</sup> / <sub>8</sub>	30 <sup>1</sup> / <sub>2</sub> x 39	30 <sup>1</sup> / <sub>2</sub> x 46 <sup>7</sup> / <sub>8</sub>	30 <sup>1</sup> / <sub>2</sub> x 55 <sup>1</sup> / <sub>2</sub>	44 <sup>3</sup> / <sub>4</sub> x 28	44 <sup>3</sup> / <sub>4</sub> x 46 <sup>7</sup> / <sub>8</sub>
-	21 <sup>1</sup> / <sub>2</sub> x 34 <sup>1</sup> / <sub>2</sub>	21 <sup>1</sup> / <sub>2</sub> x 46 <sup>1</sup> / <sub>8</sub>	21 <sup>1</sup> / <sub>2</sub> x 54 <sup>1</sup> / <sub>2</sub>	21 <sup>1</sup> / <sub>2</sub> x 63 <sup>1</sup> / <sub>2</sub>	21 <sup>1</sup> / <sub>2</sub> x 80 <sup>1</sup> / <sub>4</sub>	-	30 <sup>1</sup> / <sub>2</sub> x 46 <sup>1</sup> / <sub>8</sub>	30 <sup>1</sup> / <sub>2</sub> x 54 <sup>1</sup> / <sub>2</sub>	30 <sup>1</sup> / <sub>2</sub> x 63 <sup>1</sup> / <sub>2</sub>	44 <sup>3</sup> / <sub>4</sub> x 34 <sup>1</sup> / <sub>2</sub>	44 <sup>3</sup> / <sub>4</sub> x 54 <sup>1</sup> / <sub>2</sub>
-	21 <sup>1</sup> / <sub>2</sub> x 30 <sup>1</sup> / <sub>4</sub>	21 <sup>1</sup> / <sub>2</sub> x 41 <sup>3</sup> / <sub>8</sub>	21 <sup>1</sup> / <sub>2</sub> x 49 <sup>3</sup> / <sub>8</sub>	21 <sup>1</sup> / <sub>2</sub> x 58 <sup>3</sup> / <sub>8</sub>	21 <sup>1</sup> / <sub>2</sub> x 74 <sup>1</sup> / <sub>4</sub>	-	30 <sup>1</sup> / <sub>2</sub> x 41 <sup>3</sup> / <sub>8</sub>	30 <sup>1</sup> / <sub>2</sub> x 49 <sup>3</sup> / <sub>8</sub>	30 <sup>1</sup> / <sub>2</sub> x 58 <sup>3</sup> / <sub>8</sub>	44 <sup>3</sup> / <sub>4</sub> x 30 <sup>1</sup> / <sub>4</sub>	44 <sup>3</sup> / <sub>4</sub> x 49 <sup>3</sup> / <sub>8</sub>
14 <sup>1</sup> / <sub>2</sub> x 45 <sup>1</sup> / <sub>16</sub>	20 <sup>1</sup> / <sub>2</sub> x 26 <sup>1</sup> / <sub>4</sub>	20 <sup>1</sup> / <sub>2</sub> x 37 <sup>3</sup> / <sub>16</sub>	20 <sup>1</sup> / <sub>2</sub> x 45 <sup>1</sup> / <sub>16</sub>	20 <sup>1</sup> / <sub>2</sub> x 53 <sup>3</sup> / <sub>4</sub>	20 <sup>1</sup> / <sub>2</sub> x 69 <sup>9</sup> / <sub>16</sub>	29 <sup>9</sup> / <sub>16</sub> x 29 <sup>3</sup> / <sub>8</sub>	29 <sup>9</sup> / <sub>16</sub> x 37 <sup>3</sup> / <sub>16</sub>	29 <sup>9</sup> / <sub>16</sub> x 45 <sup>1</sup> / <sub>16</sub>	29 <sup>9</sup> / <sub>16</sub> x 53 <sup>3</sup> / <sub>4</sub>	43 <sup>3</sup> / <sub>4</sub> x 26 <sup>1</sup> / <sub>4</sub>	43 <sup>3</sup> / <sub>4</sub> x 45 <sup>1</sup> / <sub>16</sub>

Copper skylights and flashings available - special order, please call for pricing and delay.

## GLASS & CLADDING

\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

**FS Comfort** - Aluminum clad  
Tempered, Low-E<sup>2</sup>, argon gas-filled  
**FS ComfortPlus** - Aluminum clad  
Laminated, Low-E<sup>2</sup>, argon gas-filled  
Added safety and UV protection  
**FSF ComfortPlus** - Aluminum clad

229	196	220	239	298	362	259	284	311	344	318	385
259	223	254	274	342	416	299	329	358	396	363	440
-	-	289	309	-	-	-	364	-	431	-	480

## FLASHING SYSTEMS

**EDL** Step flashing  
**ZZZ 165** Additional step flashing pieces  
**EDW** High profile flashing  
**EDM** Metal roof  
**ECX** Flat roof curb  
**EMX** Low slope roof curb  
**ZOZ 211** **REQUIRED**  
Underlayment (9<sup>3</sup>/<sub>4</sub>" x 21' roll)  
**Combi-Flashing**

87	89	89	89	109	109	99	99	99	99	109	109
18	18	18	18	18	18	18	18	18	18	18	18
139	110	116	124	125	138	124	127	131	134	144	153
189	170	181	189	200	218	190	194	203	211	206	221
-	288	314	336	356	436	-	336	362	384	340	395
-	271	295	318	338	412	-	318	342	363	320	371
21	21	21	21	21	21	21	21	21	21	21	21

See page 6 for pricing.

## BLINDS, SHADES AND AWNING

**CONTROL REQUIRED**

Cellular shades (translucent white)  
- **FFF (FS)** Manual  
- **FMF (FS)** Electric  
Roller shade (opaque beige)  
- **RAF (FS/FSF)** Manual (cord pulley incl.)  
Venetian blinds (eggshell white)  
- **PFF (FS) / PFP (FSF)** Manual  
- **PMF (FS) / PMP (FSF)** Electric  
LightBlock shades (white)  
- **DMF (FS) / DMP (FSF)** Electric  
Exterior Heatblock awning (charcoal)  
- **MMA (FS)** Electric

-	183	188	195	200	211	204	213	222	230	238	268
-	379	389	403	410	425	402	409	417	425	414	450
-	116	116	116	116	116	128	128	128	128	150	150
-	101	113	128	139	149	126	131	138	149	131	173
-	310	323	336	343	353	337	340	347	355	322	378
-	379	389	403	410	425	402	409	417	425	414	450
-	401	414	423	432	455	435	443	451	461	466	494

## CONTROL OPTIONS FOR BLINDS

Electric  
- **WLC 160** COMBI control **WLI REQUIRED**  
- **WLI 160** Keypad  
- **WLR 160** Remote  
- **WLF 111** Sensor interface  
- **KES 160** UNI control  
Manual  
- **ZCT 300** 6'-10' Telescopic rod  
- **ZCT 100** 3' Rod ext. for ZCT  
- **ZOZ 032** 2' Rod

-	209	209	209	209	209	209	209	209	209	209	209
-	159	159	159	159	159	159	159	159	159	159	159
-	79	79	79	79	79	79	79	79	79	79	79
-	195	195	195	195	195	195	195	195	195	195	195
-	156	156	156	156	156	156	156	156	156	156	156
-	49	49	49	49	49	49	49	49	49	49	49
-	17	17	17	17	17	17	17	17	17	17	17
-	37	37	37	37	37	37	37	37	37	37	37

BEST VALUE



# Roof windows

Expand your living space with daylight, views and fresh air

## GDL CABRIO

Balcony roof window



Sizes  
w x h (inches)

Outside frame  
Rough opening

## GPL

Egress top-hung  
roof window



## GGL®

Pivoting roof window



	C04	M04	M08	P10	P19	S06
	21½ x 38½	30⅝ x 38½	30⅝ x 55	37 x 63	37 x 99¼	44¾ x 46¾
	22⅞ x 39½	31¼ x 39½	31¼ x 56	37⅝ x 64	37⅝ x 100¼	45⅜ x 47⅜
	Copper roof windows and flashings available - special order, please call for pricing					
<b>GLASS &amp; CLADDING</b>	\$	\$	\$	\$	\$	\$
<b>GDL ComfortPlus</b> - Aluminum clad Laminated, Low-E, argon gas-filled Added safety, UV protection	--	--	--	--	3840	--
<b>GPL ComfortPlus</b> - Aluminum clad Laminated, Low-E, argon gas-filled Added safety, UV protection	--	--	795	1005	--	965
<b>GGL ComfortPlus</b> - Aluminum clad Laminated, Low-E, argon gas-filled Added safety, UV protection	479	563	674	867	--	758
<b>FLASHING SYSTEMS</b>						
<b>EDL</b> Step flashing	98	102	114	153	226	125
<b>EDW</b> High profile flashing <b>REQUIRED</b>	122	133	141	160	275	161
<b>ZOZ 211</b> Underlayment (9¾" x 21' roll)	21	21	21	21	21	21
<b>Combi-Flashing</b>	Special order - please call for pricing and delay.					
<b>BLIND, SHADES AND AWNING</b>						
Roller shade (opaque beige) - <b>RHL</b> Manual	79	91	91	122	244	113
Venetian blind (eggshell white) - <b>PAL</b> Manual	113	131	149	189	344	173
LightBlock shade (white) - <b>DKL</b> Manual	124	139	163	192	346	181
Heatblock awning (charcoal) - <b>MHL</b> Manual	60	85	85	100	200	120
<b>INSECT SCREENS</b>						
<b>ZIL</b> Retractable	139	159	159	164	--	174
<b>ZFC</b> Two-piece screen	--	--	--	--	250	--

and delay.

### GLASS & CLADDING

**GDL ComfortPlus** - Aluminum clad Laminated, Low-E, argon gas-filled Added safety, UV protection  
**GPL ComfortPlus** - Aluminum clad Laminated, Low-E, argon gas-filled Added safety, UV protection  
**GGL ComfortPlus** - Aluminum clad Laminated, Low-E, argon gas-filled Added safety, UV protection

### FLASHING SYSTEMS

**EDL** Step flashing  
**EDW** High profile flashing **REQUIRED**  
**ZOZ 211** Underlayment (9¾" x 21' roll)  
**Combi-Flashing**

Special order - please call for pricing and delay.

### BLIND, SHADES AND AWNING

Roller shade (opaque beige)  
 - **RHL** Manual  
 Venetian blind (eggshell white)  
 - **PAL** Manual  
 LightBlock shade (white)  
 - **DKL** Manual  
 Heatblock awning (charcoal)  
 - **MHL** Manual

### INSECT SCREENS

**ZIL** Retractable  
**ZFC** Two-piece screen

# EKL/EKW/EKM Combi-Flashing®

For infinite possibilities

Special orders in red

Size codes		101	104	106	108	112	304	306	308	601	606
<b>Configuration</b>											
Side-by-side spacings 2½" - 8" in ½" increments											
□ □	1 by 2 - EKL	216	222	226	232	261	232	238	242	244	258
	1 by 2 - EKW	232	268	256	264	293	288	296	304	283	328
	1 by 2 - EKM	391	416	435	460	501	446	467	485	474	508
□ □ □	1 by 3 - EKL	353	359	363	369	413	375	381	385	393	407
	1 by 3 - EKW	354	420	388	403	448	449	461	474	422	503
	1 by 3 - EKM	612	651	681	720	784	698	731	759	742	795
□ □ □	2 by 1 - EKL	225	225	225	225	241	239	239	239	261	261
	2 by 1 - EKW	363	369	375	381	409	399	405	409	447	459
	2 by 1 - EKM	495	523	545	573	627	557	581	601	589	627
□ □ □ □	2 by 2 - EKL	522	522	522	522	554	552	552	552	584	584
	2 by 2 - EKW	654	660	672	686	744	710	722	730	768	794
	2 by 2 - EKM	902	952	992	1042	1140	1014	1056	1092	1070	1140
□ □ □ □ □	2 by 3 - EKL	819	819	819	819	867	865	865	865	907	907
	2 by 3 - EKW	945	951	969	991	1079	1021	1039	1051	1089	1129
	2 by 3 - EKM	1309	1381	1439	1511	1645	1471	1531	1583	1551	1653
□ □ □ □ □	3 by 1 - EKL	350	350	350	350	374	371	371	371	407	407
	3 by 1 - EKW	563	569	575	581	617	613	619	623	688	700
	3 by 1 - EKM	808	836	858	886	948	884	908	928	929	967

Other spacings:

- 4½" to 8" side-by-side spacings - special order, call for delay.
- 8½" to 12" side-by-side spacings - special order, call for pricing & delay.
- Over and under spacings - 4" only.
- For deck mount skylights only.
- For roof windows - special order, call for pricing.
- Combi-Flashing for FCM - not available.
- Other combinations are also possible - call for more information.
- Copper Combi-Flashing - special order, call for pricing & delay.



## Truss series

DECK MOUNT

Venting or fixed skylights that fit perfectly between trusses - Ideal for builders and renovators!



Sizes w x h (inches)	FS 150	FS 156	VS 150	VS 156	VSE 150	VSE 156
<b>Outside frame</b>	23 <sup>9</sup> / <sub>16</sub> x 23 <sup>9</sup> / <sub>16</sub>	23 <sup>9</sup> / <sub>16</sub> x 46 <sup>3</sup> / <sub>8</sub>	23 <sup>9</sup> / <sub>16</sub> x 23 <sup>9</sup> / <sub>16</sub>	23 <sup>9</sup> / <sub>16</sub> x 46 <sup>3</sup> / <sub>8</sub>	23 <sup>9</sup> / <sub>16</sub> x 23 <sup>9</sup> / <sub>16</sub>	23 <sup>9</sup> / <sub>16</sub> x 46 <sup>3</sup> / <sub>8</sub>
<b>Rough opening</b> EDL, EDW, EDM *	22 <sup>1</sup> / <sub>2</sub> x 22 <sup>1</sup> / <sub>2</sub>	22 <sup>1</sup> / <sub>2</sub> x 45 <sup>5</sup> / <sub>16</sub>	22 <sup>1</sup> / <sub>2</sub> x 22 <sup>1</sup> / <sub>2</sub>	22 <sup>1</sup> / <sub>2</sub> x 45 <sup>5</sup> / <sub>16</sub>	22 <sup>1</sup> / <sub>2</sub> x 22 <sup>1</sup> / <sub>2</sub>	22 <sup>1</sup> / <sub>2</sub> x 45 <sup>5</sup> / <sub>16</sub>
<b>Finished framing</b>	22 <sup>1</sup> / <sub>2</sub> x 22 <sup>1</sup> / <sub>2</sub>	22 <sup>1</sup> / <sub>2</sub> x 45 <sup>5</sup> / <sub>16</sub>	22 <sup>1</sup> / <sub>2</sub> x 22 <sup>1</sup> / <sub>2</sub>	22 <sup>1</sup> / <sub>2</sub> x 45 <sup>5</sup> / <sub>16</sub>	22 <sup>1</sup> / <sub>2</sub> x 22 <sup>1</sup> / <sub>2</sub>	22 <sup>1</sup> / <sub>2</sub> x 45 <sup>5</sup> / <sub>16</sub>

\* Increase rough opening length by 1½" if flaring light shaft.

### GLASS & CLADDING

	\$	\$	\$	\$	\$
<b>Comfort</b> - Aluminum clad Tempered, Low-E <sup>2</sup> , argon gasfilled	196	239	440	521	--
<b>ComfortPlus</b> - Aluminum clad Laminated, Low-E <sup>2</sup> , argon gasfilled Added safety and UV protection	223	274	467	561	849

BEST VALUE

### FLASHING SYSTEMS

<b>EDL</b> Step flashing	89	89	89	89	89
<b>EDW</b> High profile flashing	110	124	110	124	110
<b>EDM</b> Metal roof	170	189	170	189	170
<b>ZOZ 211</b> Underlayment (9¾" x 21' roll) <b>REQUIRED</b>	21	21	21	21	21


### BLINDS, SHADES, AWNINGS AND CONTROLS

Call for information and pricing.



# FCM® Fixed Curb Mount Skylight

Quality skylight designed for curb mount installations



Sizes w x h (inches)	2222	2234	2246	3030	3046	3434	4646
Inside curb	22½ x 22½	22½ x 34½	22½ x 46½	30½ x 30½	30½ x 46½	34½ x 34½	46½ x 46½
Outside curb	25½ x 25½	25½ x 37½	25½ x 49½	33½ x 33½	33½ x 49½	37½ x 37½	49½ x 49½
Skylight frame	26⅝ x 26⅝	26⅝ x 38⅝	26⅝ x 50⅝	34⅝ x 34⅝	34⅝ x 50⅝	38⅝ x 38⅝	50⅝ x 50⅝

Custom sizes available, call for pricing and delay.

## GLASS & CLADDING

**Comfort** - Aluminum clad

Tempered, Low-E<sup>2</sup>, argon gas-filled

**ComfortPlus** - Aluminum clad

Laminated, Low-E<sup>2</sup>, argon gas-filled

Added safety, UV protection

	\$	\$	\$	\$	\$	\$	\$
Comfort	145	155	165	228	–	–	342
ComfortPlus	166	178	190	262	345	324	393

## FLASHING SYSTEMS

**ECL** Curb mount step flashing with roll-formed seams

**ZOZ 211** Underlayment (9¾" x 21' roll) **REQUIRED**

ECL	69	69	69	95	95	92	99
ZOZ 211	21	21	21	21	21	21	21

## SHADE AND AWNING **CONTROL REQUIRED**

Pleated shade

- **FHG 1000** (silver gray)

Cellular shade

- **FHG 1040** (translucent white)

Exterior Heatblock awning (charcoal)

- **MMC** Electric

FHG 1000	135	149	153	169	175	180	191
FHG 1040	150	168	175	195	202	215	235
MMC Electric	401	414	423	432	451	443	494

## CONTROL OPTIONS FOR SHADE

**ZST 300** 6'-10' Telescopic rod · Manual

**KES 160** UNI control · Electric

ZST 300	49	49	49	49	49	49	49
KES 160	156	156	156	156	156	156	156

BEST  
VALUE

NEW

# TSF/TTF - TSR/TTR Sun tunnels

Provide natural light where a conventional skylight won't fit!



Flexible



Rigid

**NEW**

Sizes  
(inches)

Outside frame w x h (including flashing)  
Rough opening (diameter)

014



27½ x 31½

14

022



33½ x 35½

22

## ACRYLIC DOME

**TSF** Flexible sun tunnel for thin roofing material (shingle flashing, dual diffuser, 6' tubing)

**TTF** Flexible sun tunnel for high profile roofing material (tile flashing, dual diffuser, 6' tubing)

**TSR** Rigid sun tunnel for thin roofing material (shingle flashing, dual diffuser, 4' pipe)

**TTR** Rigid sun tunnel for high profile material (tile flashing, dual diffuser, 4' pipe)

\$

\$

375

485

425

535

417

--

472

--

## ACCESSORIES

Additional tubing for flexible sun tunnel

- **ZTF 0010** Additional 10' tubing section

- **ZTF 0012** Additional 12' tubing section

- **ZTF 0025** Additional 25' tubing section

35

--

--

60

135

165

Additional pipe for rigid sun tunnel

- **ZTR 014 0002** \* Additional 2' pipe section

- **ZTR 014 0004** \* Additional 4' pipe section

50

--

98

--

**ZTB** Rough-in kit for flexible or rigid sun tunnels **FOR NEW HOMES ONLY**

25

29

**ZTL** Electric light kit for flexible or rigid sun tunnels

45

45

**ZOZ 211** Underlayment (9¾" x 21' roll) **REQUIRED**

21

21

\* Additional pipe lengths are available in two-foot increments from up to 16 feet, call for pricing.

**NEW**

**NEW**

**NEW**